

GCSS-A Language Bridging

GCSS-Army Term	Description	Legacy Term
Plant 2000	GCSS-Army unit level funds stratification	OMA
Plant 2001	GCSS-Army SSA and above funds stratification	AWCF
Authorized To Forecast	The GCSS-Army Demand Analysis process which recommends additions to and deletions from the Authorized Stockage List (ASL).	Demand Analysis/Enhanced Dollar cost Banding
Consumption	Quantity of items consumed per requirement.	Demand
Consumption Base Planning	The concept of basing your planning on consumption rather than demands.	No legacy term
Forecasting	The GCSS-Army process that leverages consumption history to calculate supply requirements for a period of 12 months into the future. Forecasting occurs when historical consumption data exists for the material and location. Forecasting is typically run by MRP Area.	Requisitioning Objective
Maintenance Significant Part (MSP)	A critical, repairable, and typically high dollar readiness driver.	Readiness Driver
Overdue Deliveries	Pseudo Receipt Process	Pseudo Receipt
Planned Delivery Time (PDT)	The average time it takes to receive an item from the date of request generation. Calculated by individual material/NIIN.	Requisition Wait Time (RWT)
Traffic Lights	Status indicator icons displayed in GCSS-Army in the form of a traffic light. Used to prioritize of information viewed based on predetermined conditions and system settings.	Parameter based alerts
Warehouse Activity Monitor	Decision Support Tool used to monitor the status of critical processes and situations in a warehouse. The primary purpose of the WAM is to alert managers of bottlenecks occurring in the flow of assets and transactions through the warehouse. Examples are: (a) Unconfirmed Transfer Orders, (b) Open Transfer Requirements, (c) Open Posting Change Notices, and (d) Open Deliveries.	No legacy process exists
Open Purchase Order	An open requirement passed to the national level of supply	A Dues-in

GCSS-A Language Bridging

Open Stock Transport Order	Typically, an outstanding customer request. Technically represents an order to move material between plants or storage locations.	A Dues-out
Inbound Delivery	An open SSA or customer requirement which has received an Advance Shipment Status (ASN)/Shipment Status	Shipment Status
Outbound Delivery	An open customer Stock Transport Order which has had material release action begun against it.	No legacy term
Soft Pegging	The linking of a customer requirement to an SSA rollover transaction	RON-DON
Batch	Condition of material	Condition Code
MRP Type	Identifies the stock category and authorization to stock	Stockage List Code (SLC)
Document Type	Identifies document based on its use	Document Identifier Code
Lot Size	The optimum quantity to be ordered based on consumption and unit price	Economic Order Quantity (EOQ)
Storage Type	Capability to assign a materiel to a specific storage area of the warehouse based on specific characteristics (Hazardous, Sensitive, Bulk, etc)	Storage area
Interim Storage Type	A variation of the Storage Type used as a holding area for unresolved situations or incomplete processing actions involving inventory.	Litigation, etc.
Intelligent Stock Placement	The location management strategy that once configured links a material to a bin. When the bin becomes empty, the link is dissolved and the bin becomes available for reuse. The system also prompts for a balance check to ensure bin is empty prior to reuse.	Locator system
Putaway Strategy	The leveraging of Storage Types and ISP to develop and execute a bin management plan.	SSA strategy for processing and storing receipts.
Material Number	The material number is used by the customer to order supply or property.	Stock number or part number

GCSS-A Language Bridging

Material Requirements Planning (MRP)	A process within GCSS-Army that calculates the quantities needed to satisfy projected consumption or to meet immediate requirements.	Requirements Determination, Net Asset Computation, replenishment.
Movement Type	A three digit code that identifies the reason and type of material movement that is being conducted in GCSS-Army.	No legacy term
Business Workplace (SBWP)	The GCSS-Army internal communications network consisting of an EMAIL capability and a WORKFLOW messaging structure. The WORKFLOW process is used to send transactions to Materiel Managers for review. The E-Mail capability is used for business related communication between users of the system.	Manager Review File
MRP Area	The virtual “space” assigned to an SSA or customer unit where materials are planned.	DoDAAC/RIC
Vendor Master	This data set contains critical information for approved vendors relating to accounts and locations, and unique information relating to products and services approved for purchase.	RIC Source of Fill
Supersession Chain (SSC)	In GCSS-Army, all substitute parts are part of a supersession chain (SSC). The SSC lists the prime number and valid substitutes within that chain.	Interchangeability and Substitutability (I&S), Stock Number Relationship, BH Relationship.